

Barista Uno:

All round perfection.





Two grinders for two different coffee beans give you the best flavour, variety and availability, particularly at peak times.



Even more complicated coffee variants made from freshly ground beans, instant products and fresh milk are always prepared perfectly.

The milk frother quickly creates an unbelievably creamy milk foam.



The extra large fridge with a capacity of up to 20 litres of fresh milk is designed to last you all day without stopping to refill.



Easy self-service with a user-friendly display, illuminated cup dispensers and selection buttons.



Double buttons for different cup sizes (S and XXL) with flashing light.



Leading makes of banknote readers and coin mechanisms can be fitted.



Dimensions (h x w x d):	2,000* x 1,000 x 1,000 mm (round model) 2,000* x 1,000 x 834 mm (flat rear model) (*With header add 400 mm)
Weight:	300 kg (*With header add 25 kg)
Number of selections:	Max. 15 selection buttons
Dosing:	Speed and run time of the dosing motors can be freely programmed
Drink size:	Freely adjustable, up to 300 ml per portion, hot water max. 500 ml
Boiler temperature:	Adjustable between 70–98 °C
Capacity:	approx. 150 cups per hour
Whipper speed:	Freely adjustable up to 17,000 rpm max.
Cup dispenser:	For cups with a diameter between 50 and 80 mm (0.1 to 0.4 l) Capacity: 0.1 l cups = 100 pieces 0.2 l cups = 100 pieces 0.4 l cups = 75 pieces
Chocolate hopper:	approx. 1.5 kg
Bean hopper:	approx. 1.5 kg
Current and power usage:	230 V–50 Hz Boiler rating: 2.7 kW Total: 3.5 kW max.
Water connection:	3/8" internal thread, flexible water hose with metallic mesh cover, 0.2–0.6 Mpa (2–6 bar)
Ambient temperature:	+5–32 °C
On-site electrical connection:	Shockproof socket (installed in accordance with VDE directives). The machine features a safety switch as a standard ($I_{AN} = 30$ mA)
On-site cutout:	Circuit breaker L16A
On-site water pressure:	min. 0.2 MPa, max. 0.6 MPa (2 – 6 bar), otherwise a pressure reducer must be connected.

Sielaff UK Ltd
Unit 1 Westgate Trading Estate
Aldridge
Walsall, West Midlands
GB-WS9 8EX

Telephone: +44 1922 743010
Fax: +44 1922 743659
E-Mail: info@sielaff.co.uk



Sielaff GmbH & Co. KG
Automatenbau
Münchener Str. 20
D-91567 Herrieden

Telephone: +49 98 25 | 18–0
Fax: +49 98 25 | 18–155
E-Mail: export@sielaff.de
www.sielaff.com

