

 *Piacere*

Technology to suit everybody.





Grinder: Quality manufacture with low-noise precision grinding discs and fine threading

Bean hopper with a capacity of 1.2 kg

Pump: Efficient vane pump; exact water dosing via flow meter

Brewer: Extremely rugged metal brewer for coffee throws from 6 to 13 grams

Service: Quick-change brewer filters and sealing rings mean minimum down-time



User-friendly with 10 large, clearly labelled buttons and a four-line display. Ingenious selection button layout and easily exchangeable symbol or text labels. LED's are available in different colours.



The milk refrigeration module guarantees a constant temperature. That ensures the texture of the milk froth remains consistent and hygiene standards are observed.



Large quantities directly into the pot: Thanks to a swivelling cup shelf, coffee can be filled directly into a Thermos flask (maximum height 190 mm).

DESIGN

Housing colour:	RAL 9005, black gloss
Door:	Stainless steel
Operator panel:	Mirror finish
Dimensions/Weight:	Height 710 mm x width 450 mm* x depth 570 mm, 68* Kg (*width 560 mm, 79 Kg with module for payment systems)
Milk Fridge module:	Height 645 mm x width 215 mm x depth 445 mm, 25 Kg
Cup warmer:	Height 645 mm x width 250 mm x depth 445 mm, 16 Kg
Water connection:	3/8" internal screw thread, flexible water hose (2 m) with protective outer layer, 0.2–0.6 MPa (2–6 bar)
Voltage:	230 V / 50 Hz
Fuse:	16 A (10 A optional)
Power input:	Boiler rating 2.7 kW, max. 2.9 kW total, (2,000 W optional)
Number of selections:	10 direct selections; alternatively 2 x 9 selections (via shift-button)
Brewer:	Sielaff horizontal brewer for coffee throws from 6.5 to 13 g
Grinder:	High efficiency horizontal grinders; performance 4 g/sec; Tempered grinding discs, diameter 65 mm
Dosing:	Speed and run times of the dosing motors can be freely programmed
Drink volume:	Freely adjustable, up to 300 ml maximum per portion Hot water 0.5 l max.
Dispensing rate:	approx. 150 cups per hour
Mixer speed:	Freely adjustable, up to 17,000 U/min max.

CAPACITIES

Bean hopper:	1,2 Kg
Topping and chocolate containers:	depends on model, see brochure
Milk Fridge module:	6,0 l
Spent grounds hopper:	130 portions of 9g (optional: waste bin for coffee grounds and waste water connection)
Cup warmer:	With space for approx. 15 coffee cups or 15 latte macchiato glasses or 25 espresso cups on each of the three shelves

Sielaff UK Ltd
Unit 1 Westgate Trading Estate
Aldridge
Walsall, West Midlands
GB-WS9 8EX

Telephone: +44 1922 743010
Fax: +44 1922 743659
E-Mail: info@sielaff.co.uk



Sielaff GmbH & Co. KG
Automatenbau
Münchener Str. 20
D-91567 Herrieden

Telephone: +49 98 25 / 18-0
Fax: +49 98 25 / 18-155
E-Mail: export@sielaff.de
Internet: www.sielaff.com